Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	678	email and (encrypt$3 or encod$3) with stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:54
S4	23	email and (encrypt$3 or encod$3) with only near2 stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S5	0	email with (encrypt$3 or encod$3) with only near2 stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S6	0	email same (encrypt$3 or encod$3) with only near2 stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:56
S7	0	email same (encrypt$3 or encod$3) with only near4 stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 09:57
S8	3	email same (encrypt$3 or encod$3) with only with stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:01
S9	77	email and (encrypt$3 or encod$3) with only with stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:01
S10	23	email and (encrypt$3 or encod$3) with only near2 stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:09
S11	26	email with (encrypt$3 or encod$3) with stor$3 and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:34
S12	26	email with (encrypt$3 or encod$3) with (stor$3 or sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 10:35
S13	1	email with (encrypt$3 or encod$3) with (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:49
S14	780	send$3 and receiv$3 and (encrypt$3 or encod$3) with (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S15	217	send$3 and receiv$3 and (encrypt$3 or encod$3) near2 (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 11:50
S16	18	send$3 and receiv$3 and (encrypt$3 or encod$3) near2 (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 11:51
S17	1	send$3 and receiv$3 and (decrypt$3 with (encrypt$3 or encod$3)) near2 (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10

S18	1	(decrypt$3 with (re-encrypt$3 or re-encod$3)) near2 (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S19	1	(decrypt$3 with (re-encrypt$3 or re-encod$3)) near5 (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S20	1	(decrypt$3 with (re-encrypt$3 or re-encod$3))with (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:10
S21	19	(decrypt$3 with (re-encrypt$3 or re-encod$3))same (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:11
S22	0	(email same decrypt$3 with (re-encrypt$3 or re-encod$3))same (sav$3) and @ad<="20010508"	USPAT	OR	OFF	2005/06/27 12:11
S23	19	(decrypt$3 with (re-encrypt$3 or re-encod$3))same (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S24	1	(decrypt$3 with (re-encrypt$3 or re-encod$3))near2 (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S25	1	(decrypt$3 with (re-encrypt$3 or re-encod$3))with (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S26	20	(decrypt$3 with (encrypt$3 or encod$3))with (sav$3) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:14
S27	0	(email same (decrypt$3 with (encrypt$3 or encod$3))with (sav$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:15
S28	7	(email same (decrypt$3 with (encrypt$3 or encod$3))with (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24
S29	74	(email same ((cipher$3 encrypt$3 or encod$3))with (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:24
S30	74	(email same ((cipher$3 or encrypt$3 or encod$3))with (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S31	0	(email same ((cipher$3))near4 (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:25
S32	10	(email same ((encode$3))near4 (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26

S33	3	(recei$5 same email same ((encode$3))near4 (sav$3 or stor$3)) and @ad<="20010508" and email	USPAT	OR	OFF	2005/06/27 12:26